

20

0.5%

(1)

+

(2)

+

+

(3)

6L 30 0.6

A 1
10L 1
90%

99.99%

57

18

" "

IEC

3

5

" " " "

(1)

"

"

(2)

2016 5 6

"

"

+

93%

99.99%

(3)

"

"

57

18

(4)

(5)

90%

99.99%

CCC

(6)

JBSD2T-Q3

<http://m.sohu.com/n/450201232/>

1/3

0.1

1/2

0.22

<http://wap.ea3w.com/article/147/1479356.html>

Q5

360

70

2-6

Q5

Q5

http://g.pconline.com.cn/x/881/8810962_all.html#content_page_2

2017

(2016-20

ZL201 2015 16
31075 . 6. 1
0285. 0
6

(
06)

ZL201 2017 2603123 ; ;
41084 . 8 2 ;
9282 9 ; ;
2 ;

ZL201 2016 3952691 ;
63015 . 11. ;
3681. 30 ;
5 ;

ZL201 2017 2346002
41085 . 1 1
1802 8
3

1

1
2 +

3

1
2
3

+

C ë î

			5		
$\begin{array}{r} 2 \quad \quad + \\ 4 \quad " \quad " \end{array}$					

			6		
$\begin{array}{r} 1 \\ 2 \quad \quad + \end{array}$					

6			2014 6	+ +	
7		; ; ;	2014 10		
8		; ; ;	2013 7		
9		; ; ;	2012 4		
10		; ; ;	2014 10		